

9-2367345-1 ✓ ACTIVE

DEUTSCH | DEUTSCH DT Highspeed


TE Internal #: 9-2367345-1

2 Position, Black, Cap, PBT, 180 ° Cable Exit, -40 – 125 °C [-40 – 257 °F], DEUTSCH DT Highspeed

[View on TE.com >](#)



Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: 2

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cap**

Primary Product Material: **PBT**

Cable Exit Angle: **180 °**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cap
---	-----

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Color	Black
Primary Product Material	PBT
Cable Exit Angle	180 °

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Packaging Features

Packaging Method	Tray
------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | [DEUTSCH DT Highspeed](#)



Automotive Connector EMC Shielding (6)



Automotive Housings(3)



Automotive Seals & Cavity Plugs(3)



Infotainment & Multimedia Cable Assemblies(15)

Customers Also Bought



TE Part #1717138-6
025/040 SEALED 44POS PLUG ASSY



TE Part #2292937-1
2POS,1.2X0.6,TAB HSG ASSY,SLD, COD A




TE Part #2338212-1
PLUG SOCKET ASSY, 4P, W2W, SEALED COAX



TE Part #9-2367341-1
2POS,CSS SIZE 20,PIN OUTER HSG ASSY



TE Part #9-2367344-3
PIN CONN CVR,2POS,CSS SIZE 20,180 DEG



TE Part #CAT-AI5-DHCSAP
DT Highspeed Connectors seals and plugs



TE Part #CAT-AI5-DHCS
DT Highspeed Connector shielding plugs

Documents

Product Drawings

[SOC CONN CVR ASSY,2POS,CSS SIZE 20,180](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_9-2367345-1_C1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_9-2367345-1_C1.3d_igs.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_9-2367345-1_C1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



[Product Specifications](#)

[Application Specification](#)

English