



+ CONNECTORS

AUTOMOTIVE CONNECTOR LOCKS & POSITION ASSURANCE



✓ Active

TE CONNECTIVITY (TE)

ECONO-J MK-2 LOCK PLATE CAP 4P

AMP | Econoseal , Econoseal J - Mark II

1-174260-1

TE Internal Number: 1-174260-1

EU RoHS Compliant

EU ELV Compliant

Connector System Wire-to-Wire

Accessory Type TPA (Terminal Position Assurance)

Color Natural

Material PBT

↓ **PRODUCT DRAWING**
Japanese

↓ **3D PDF**

DOCUMENTATION

Product Drawings

4P . ECONOSEAL J-MARK II+ CONNECTOR DOUBLE LOCK PLATE FOR CAP HOUSING

PDF

Japanese

CAD Files

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

English

Product Specifications

Product Specification

AMP-ECONOSEAL-J Mark II+ Connector

PDF

English

AMP-ECONOSEAL-J Mark II+ Connector

PDF

Japanese

Qualification Test Report

Econoseal-J Mark II+ Connector

TIF

English

Econoseal-J Mark II+ Connector

PDF

English

Instruction Sheets

Customer Manual (non U.S.)

ECONOSEAL J MARK II+ CONNECTOR (EJ-MK II+)

TIF

English

ECONOSEAL J MARK II+ CONNECTOR (EJ-MK II+)

PDF

English

ECONOSEAL J MARK II+ CONNECTOR

TIF

English

ECONOSEAL J MARK II+ CONNECTOR

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector System Wire-to-Wire

Accessory Type TPA (Terminal Position Assurance)

Body Features

Color Natural
Material PBT

Usage Conditions

Operating Temperature Range -30 – 105 °C [-22 – 221 °F]

Industry Standards

UL Flammability Rating UL 94-HB

Packaging Features

Packaging Method Bag

Other

Serviceable Yes

Statement of Compliance

Statement of Compliance
PDF