



+ CONNECTORS

DISCRETE SOCKETS



✓ Active

TE CONNECTIVITY (TE)

322-HCS6P2-100=HOLT CNT SKT RE

HOLTITE | HOLTITE

322-HCS6P2-100

TE Internal Number: 4-1437514-3

[EU RoHS Compliant with Exemptions](#)

[EU ELV Compliant with Exemptions](#)

Hole Size (Recommended) 1.61 mm [.0635 in]

Socket Length 3.45 mm [.136 in]

Sealant Without

Sleeve Style Open Bottom

Wire/Cable Size .081 – .162 mm² [28 – 25 AWG]

[↓ 3D PDF](#)

DOCUMENTATION

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Application Specification

AUGAT HOLTITE Sockets

PDF

English

Product Specification

AUGAT HOLTITE Sockets

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Product Type Features

Sleeve Style Open Bottom

Connector & Contact Terminates To Printed Circuit Board

Product Type Contact

Profile Zero

Wire/Cable Type Discrete Wire

Body Features

Sealant Without

Sleeve Plating Material Tin

Sleeve Material Copper

Contact Features

Contact Current Rating (Max) (A) 5

Contact Type Socket

Contact Spring Plating Material Tin

Contact Mating Area Plating Thickness (µm) .76

Contact Transmits (Typical) Signal (Data)/Power

Contact Base Material Beryllium Copper

Contact Mating Area Plating Material Tin

Socket Type Discrete

Termination Features

Termination Method to PC Board Through Hole - Press-Fit

Termination Method to Wire/Cable Solder

Insertion Method Hand/Semi-Automatic/Automatic

Dimensions

Socket Length 3.45 mm [.136 in]

Hole Size (Recommended) 1.61 mm [.0635 in]

Wire/Cable Size .081 – .162 mm² [28 – 25 AWG]

Mating Pin Diameter Range .51 – .76 mm [.02 – .03 in]

PCB Thickness (Recommended) .79 – 3.18 mm [.03 – .05 in]

Usage Conditions

Operating Temperature Range -65 – 125 °C [-85 – 257 °F]

Packaging Features

Packaging Method Reel

Packaging Quantity 2000

Other

Spring Material Beryllium Copper

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
