

MINIATURE POSITIVE ACTION SWITCHES

Series—8855, 8856

MIL-S-8834 Miniature Positive Action Switches Lever Lock/Solder Lug Terminals

FEATURES

- Sealed bushing
- Dry circuit (logic level loads) to power switching levels
- 1, and 2 pole circuitry
- Non-teasible mechanism for all but center "ON" circuits
- High electrical/mechanical reliability
- Two styles of lever lock actuators
- Locking actuator for safety
- Wiping action contacts
- Positive make and break action
- Solder lug termination

S E L E C T I O N T A B L E

<

STANDARD CAP STYLE

MUSHROOM CAP STYLE



8855



8856



8855



8856

CIRCUIT WITH LEVER IN...


Standard Cap Style								Mushroom Cap Style			
Up Position 	Center Position 	Down Position (Keyway) 	Lever Lock Bushing Style ①	MS Part Number	Catalog ② Number	MS Part ③ Number	Catalog ② Number	MS Part Number	Catalog ② Number	MS Part ③ Number	Catalog ② Number
ONE POLE								BONDED SEAL			
ON→	←OFF→	←ON	A	MS21026-A211	8855K4	Feature Not Available In Single Pole Switches		MS21436-A211	8855K74	Feature Not Available In Single Pole Switches	
ON	←OFF→	ON	B	-B211	K5		-B211	K75			
ON	←OFF→	NONE	B	-B241	K19		-B241	K719			
ON	NONE	←OFF	C	-C221	K13		-C221	K713			
ON	NONE	←ON	C	-C231	K7		-C231	K77			
ON	←OFF	ON	D	MS21026-D211	8855K10		MS21436-D211	8855K710			
ON→	NONE	←OFF	E	-E221	K14		-E221	K714			
ON→	NONE	←ON	E	-E231	K8		-E231	K78			
ON	←OFF→	ON	F	-F271	K15		-F271	K715			
ON	OFF→	ON*	G	-G311	K16		-G311	K716			
ON	←OFF	ON	H	MS21026-H271	8855K17		MS21436-H271	8855K717			
ON→	←OFF	NONE	J	-J241	K9		-J241	K79			
NONE	←OFF→	ON*	K	-K281	K18		-K281	K718			
ON	←OFF→	ON*	K	-K311	K20		-K311	K720			
ON	←OFF	ON*	L	-L311	K12		-L311	K712			
TWO POLE								BONDED SEAL			
ON→	←OFF→	←ON	A	MS21027-A211	8856K4	MS21027-A711	8856K4X	MS21437-A211	8856K74	MS21437-A711	8856K74X
ON	←OFF→	ON	B	-B211	K5	-B711	K5X	-B211	K75	-B711	K75X
ON	←OFF→	NONE	B	-B241	K19	-B741	K19X	-B241	K719	-B741	K719X
ON	NONE	←OFF	C	-C221	K13	-C721	K13X	-C221	K713	-C721	K713X
ON	NONE	←ON	C	-C231	K7	-C731	K7X	-C231	K77	-C731	K77X
ON	←OFF	ON	D	MS21027-D211	8856K10	MS21027-D711	8856K10X	MS21437-D211	8856K710	MS21437-D711	8856K710X
ON→	NONE	←OFF	E	-E221	K14	-E721	K14X	-E221	K714	-E721	K714X
ON→	NONE	←ON	E	-E231	K8	-E731	K8X	-E231	K78	-E731	K78X
ON	←OFF→	ON	F	-F371	K27	-F871	K27X	-F371	K727	-F871	K727X
ON	OFF→	ON*	G	-G311	K16	-G811	K16X	-G311	K716	-G811	K716X
ON	←OFF	ON	H	MS21027-H371	8856K29	MS21027-H871	8856K29X	MS21437-H371	8856K729	MS21437-H871	8856K729X
ON→	←OFF	NONE	J	-J241	K9	-J741	K9X	-J241	K79	-J741	K79X
NONE	←OFF→	ON*	K	-K381	K28	-K881	K28X	-K381	K728	-K881	K728X
ON	←OFF→	ON*	K	-K311	K20	-K811	K20X	-K311	K720	-K811	K720X
ON	←OFF	ON*	L	-L311	K12	-L811	K12X	-L311	K712	-L811	K712X
ON→	←ON→	←ON	A	MS21027-A331	8856K21①	MS21027-A831	8856K21X①	MS21437-A331	8856K721①	MS21437-A831	8856K721X①
ON	←ON→	ON	B	-B331	K30①	-B831	K30X①	-B331	K730①	-B831	K730X①
ON	ON	←ON	C	-C331	K31①	-C831	K31X①	-C331	K731①	-C831	K731X①
ON	←ON	ON	D	-D331	K32①	-D831	K32X①	-D331	K732①	-D831	K732X①
ON	←ON→	ON	F	-F341	K22①	-F841	K22X①	-F341	K722①	-F841	K722X①
ON	←ON	ON	H	MS21027-H341	8856K34①	MS21027-H841	8856K34X①	MS21437-H341	8856K734①	MS21437-H841	8856K734X①
NONE	←ON→	ON*	K	-K321	K24①	-K821	K24X①	-K321	K724①	-K821	K724X①
ON	ON→	ON*	G	-G351	K35①	-G851	K35X①	-G351	K735①	-G851	K735X①
ON	←ON→	ON*	K	-K351	K23①	-K851	K23X①	-K351	K723①	-K851	K723X①
ON	←ON	ON*	L	-L351	K36①	-L851	K36X①	-L351	K736①	-L851	K736X①

MINIATURE POSITIVE ACTION SWITCHES

Series—8855, 8856


MIL-S-8834 Miniature Positive Action Switches
Lever Lock/Solder Lug Terminals

MOUNTING DIMENSIONS—ONE POLE / 8855




Standard Cap Style

Terminal Identification




Mushroom Cap Style

MOUNTING DIMENSIONS—TWO POLE / 8856



Standard Cap Style

Terminal Identification



Mushroom Cap Style

STANDARD
0.00 = inches
[0,0] = mm

Mounting dimensions for
reference only.
Non-functional terminals
not supplied.

MINIATURE POSITIVE ACTION SWITCHES


Series—8855, 8856

MIL-S-8834 Miniature Positive Action Switches
Lever Lock/Solder Lug Terminals

OPTIONS/ACCESSORIES

- Special mounting hardware
- Special marking
- Mounting hardware furnished assembled
- Special locking configurations
- Panel seal, Part Number 32-341
- Special circuits
- Special locking cap style
- Custom wire harnesses
- EMI/RFI capability on two pole

LEVER LOCK – BUSHING STYLES



OPTIONS/ACCESSORIES

- Special mounting hardware
- Special marking
- Mounting hardware furnished assembled
- Special locking configurations
- Panel seal, Part Number 32-341
- Special circuits
- Special locking cap style
- Custom wire harnesses
- EMI/RFI capability on two pole
- Gold plated contacts

PANEL CUTOUT DIMENSIONS

