






CONTACT LENGTH EXAMPLES



CONTACT LAYOUT



Lochbild für Leiterplatte (Bestückungsseite)
Board hole pattern (component mounting side)



RoHS Konform
RoHS compliant

- 1) $\varnothing 0,6_{\pm 0,05}$ Durchmesser des metallisierten Loches
 $\varnothing 0,6_{\pm 0,05}$ Diameter of finished plated-through hole
- $\varnothing 0,7_{\pm 0,02}$ Bohrungsdurchmesser des Loches
 $\varnothing 0,7_{\pm 0,02}$ Diameter of drilled hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 114406
Metal plating of plated-through hole see drawing 114406

Fehlende Masse und Angaben nach IEC 61076-4-101
Missing information and dimensions per IEC 61076-4-101

Information:
Level 2
siehe Bestückungsplan / see contact layout
ohne Zentrierzapfen / without location peg
Anforderungsstufe 2 / class 2
Ohne Abschirmblech an Reihe 1 /
without shielding on row 1

All rights reserved.
Only for Information.
To ensure that this is the latest
version of this drawing, please
contact one of the ERNI companies
before using.

Tolerances	All Dimensions in mm	Scale	2:1
Subject to modification without prior notice. Drawing will not be updated.		Designation	
ERNI www.ERNI.com		ERmet Messerl. C, abgew ERmet male type C, r/a	
b		923830	
Index		A3	
Date		ERMC	

Copyright by ERNI GmbH
Proprietary notice pursuant to ISO 10166 to be observed.