







CONTACT LAYOUT



Lochbild für Leiterplatte (Bestückungsseite)
Board hole pattern (component mounting side)



CONTACT LENGTH EXAMPLES



A DATUM PLANE DEPTH

RoHS Konform
RoHS compliant

- 1) $\varnothing 0,6_{\pm 0.05}$ Durchmesser des metallisierten Loches
- $\varnothing 0,6_{\pm 0.05}$ Diameter of finished plated-through hole
- $\varnothing 0,7_{\pm 0.02}$ Bohrungsdurchmesser des Loches
- $\varnothing 0,7_{\pm 0.02}$ Diameter of drilled hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 114406
Metal plating of plated-through hole see drawing 114406

Fehlende Masse und Angaben nach IEC 61076-4-101
Missing information and dimensions per IEC 61076-4-101

Information:
Level 1
siehe Bestückungsplan / see contact layout
ohne Zentrierzapfen / without location peg
Anforderungsstufe 2 / class 2
Ohne Abschirmblech an Reihe f /
without shielding on row f

All rights reserved.
Only for information.
To ensure that this is the latest
version of this drawing, please
contact one of the ERNI companies
before using.

Copyright by ERNI GmbH
Proprietary notice pursuant to ISO 16016 to be observed.

b	05.02.2014
Index	Date

Tolerances	All Dimensions in mm	Scale	2:1
Subject to modification without prior notice. Drawing will not be updated.		Designation	
www.ERNI.com		ERmet Messerl. C, abgew ERmet male type C, r/a	
		923828	
		Class ERMC	
		I A3	