

Datasheet

Item No. 25.313.3753.0

Panel header 8213 S / 7 DFLS M

Feed Through-Pin Header, 7 -pole, with solder pin connection, without marking, pitch: 5,08 mm, series: 8214 S / 7 DFLS M



Item No.	25.313.3753.0
EAN	4015573388512
order unit	50 Piece(s)

Approvals



Technical data

General

Modular spacing	5.08 mm
Soldering process	None
Number of poles	7
Number of levels	1
Fastening	Flange
Mating direction towards (circuit) board	None

Technical data

Rated current	6.5 A
Overvoltage Category I	1000 V
Overvoltage Category II	400 V
Overvoltage Category III	250 V
Rated impulse voltage	4 kV

Technical Data UL/CSA

Voltage UL	300
Current field wiring	8 A
Current factory wiring	8 A
Voltage CSA	300 V
Current CSA	8 A



Other

Type of insulation material	Thermoplastic
Colour	Grey
Height	17.5 mm
Length	55.88 mm
Depth	17.1 mm
Material contact base	CuSn
Material contact surface	Sn

Drawings

12.7 (L) 12.7 7.4
5.08 5.08 5.08 7.62 7.62
3.3 0.8 3.3
A
A

10-polige Ausführung gezeichnet
drawn version 10-poles

Schnitt A-A
section A-A
11.6 3.9 2.8
5.5 11.6 9.3 5.8 17.5
(26.4)

Weitere Daten siehe Katalog
further data see catalog

Farbe colour	.F	Typ type
grau/grey	.0	8213 S/2-24DFLS M
schwarz/black	.1	8213 S/2-24DFLS SW M
grün/green	.7	8213 S/2-24DFLS GN M

mit Löt-Steck-Anschluß mit Einpreßmutter
with solder connection with press in nut

Artikel-Nr. part number	Pol. pole	(L)	Artikel-Nr. part number	Pol. pole	(L)	I
25.313.3253.F	2	30,48	25.313.4353.F	13	86,36	60,96
25.313.3353.F	3	35,56	25.313.4453.F	14	91,44	66,04
25.313.3453.F	4	40,64	25.313.4653.F	16	101,60	76,20
25.313.3553.F	5	45,72	25.313.4753.F	17	106,68	81,28
25.313.3653.F	6	50,80	25.313.4853.F	18	111,76	86,36
25.313.3753.F	7	55,88	25.313.4953.F	19	116,84	91,44
25.313.3853.F	8	60,96	25.313.5053.F	20	121,92	96,52
25.313.3953.F	9	66,04	25.313.5153.F	21	127,00	101,60
25.313.4053.F	10	71,12	25.313.5253.F	22	132,08	106,68
25.313.4153.F	11	76,20	25.313.5353.F	23	137,16	111,76
25.313.4253.F	12	81,28	25.313.5453.F	24	142,24	116,84

Material: 2010 Farbe: 09.09. Schutz: 11. Typ: T Zeichnung Nr./Drawing No.: 25.313.3253.0 01K Made in mm@wieland.com		Verwendung: - First Use: - Shell: 1 mm Pin: 1	
Werkstoff/Material: 2010 Farbe: 09.09. Schutz: 11. Typ: T Zeichnung Nr./Drawing No.: 25.313.3253.0 01K Made in mm@wieland.com		Verwendung: - First Use: - Shell: 1 mm Pin: 1	
Typ: 8213 S/2... DFLS M		Screening/Title: GEHAUSESTIFTFLEISTE Durchführung Rossmäß: 5,08 Header for panel mounting pitch 5,08	