



Part Number : [1501700002](#)
Product Description : Ditto Hermaphroditic Crimp Housing, Positive Lock, 2 Circuit
Series Number : 150170
Status : Obsolete
Product Category : Connector Housings



Documents and Resources

Drawings

[1501700002_sd.pdf](#)
[1501700002_stp.zip](#)

Specifications

[1501700000-AS-000.pdf](#)
[TS-150170-0000-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Obsolete
Category	Connector Housings
Series	150170
Description	Ditto Hermaphroditic Crimp Housing, Positive Lock, 2 Circuit
Application	Power, Wire-to-Wire
Product Name	Ditto
UPC	889056215664

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	2
Color - Resin	Natural (White)
Flammability	94V-0
Gender	Hermaphroditic
Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.750/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.00mm
Pitch - Termination Interface	3.00mm
Temperature Range - Operating	-40° to +105°C, -40° to +80°C, See

	Product Specification
--	-----------------------

Mates With / Use With

Mates with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Housings	<u>150170</u>

Use with Part(s)

Description	Part Number
Ditto Hermaphroditic Crimp Terminals	<u>150200</u>
Ditto Terminal Position Assurance (TPA) Retainers	<u>150212</u>

This document was generated on Mar 30, 2026