



**Part Number :** [2077760003](#)

**Product Description :** Squba 3.6 Plug Terminal,  
Matte Tin Plating, UL1015/UL1230 Compatible, 20-18  
AWG, Reel

**Series Number :** 207776

**Status :** Active

**Product Category :** Crimp Terminals



---

## Documents & Resources

### Drawings

[2077760003\\_sd.pdf](#)

[2077760000-PK-000.pdf](#)

[STEP AP242](#)


[SOLIDWORKS](#)

[Creo](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

### Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

Status	Active
Category	Crimp Terminals
Series	207776
Description	Squba 3.6 Plug Terminal, Matte Tin Plating, UL1015/UL1230 Compatible, 20-18 AWG, Reel
Application	Power, Signal, Wire-to-Wire
Product Name	Squba
UPC	196823003929

### Electrical

Current - Maximum per Contact	11.5A
Voltage - Maximum	600V

### Physical

Durability (mating cycles max)	25
Gender	Male
Material - Metal	Copper Alloy
Material - Plating Mating	Matte Tin
Material - Plating Termination	Matte Tin
Net Weight	0.162/g
Packaging Type	Reel
Plating min - Mating	2.540µm
Plating min - Termination	2.540µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	2.55-2.70mm

Wire Size (AWG)	18, 20
Wire Size mm <sup>2</sup>	N/A

## Mates With / Use With

### Use with Part(s)

Description	Part Number
Squba 3.6 Sealed Single Row Plug Assemblies	<u>207778</u>

---

## Application Tooling

### Global

Description	Part Number
Extraction Tool for Squba 3.6 Plug and Receptacle Crimp Terminals, 20-18 AWG Wire	<u>2002223000</u>
FA2 Pneumatic Feed Crimp Applicator for Squba 3.6 Plug Terminals, 20-18 AWG Wire	<u>2130694910</u>
FA2 Mechanical Feed Crimp Applicator for Squba 3.6 Plug Terminals, 20-18 AWG Wire	<u>2130694900</u>
Hand Crimp Tool for Squba 3.6 Male and Female Terminals, 18-20 AWG, UL 1230 Wire	<u>2133098000</u>