

FL PANEL ADAPTER 45 - Mounting panel



1456055

<https://www.phoenixcontact.com/pc/products/1456055>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The FL PANEL ADAPTER 45 is designed to allow products 45 mm wide to be mounted flush to a panel, in any orientation.

Product description

The FL PANEL ADAPTER 45 is designed to allow products 45 mm wide to be mounted flush to a panel, in any orientation.

Your advantages

- Easy and secure adapting of DIN rail products to mount directly to a panel

Commercial data

Item number	1456055
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	DNN1ZZ
GTIN	4063151845148
Weight per piece (including packing)	115.7 g
Weight per piece (excluding packing)	59.5 g
Customs tariff number	73269098
Country of origin	TW

FL PANEL ADAPTER 45 - Mounting panel



1456055

<https://www.phoenixcontact.com/pc/products/1456055>

Technical data

Product properties

Product type	Assembly adapter
--------------	------------------

Material specifications

Material	Stainless steel 304
----------	---------------------

FL PANEL ADAPTER 45 - Mounting panel



1456055

<https://www.phoenixcontact.com/pc/products/1456055>

Classifications

ECLASS

ECLASS-13.0	27182807
ECLASS-15.0	27182807

ETIM

ETIM 10.0	EC002625
-----------	----------

FL PANEL ADAPTER 45 - Mounting panel



1456055

<https://www.phoenixcontact.com/pc/products/1456055>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com