


**NOTES:**

1. Material: Corrosion resistant steel (CRES) (ASTM A582/A582M), type 303 (UN S30330) or 303SE (UNS S30323) or XM-1 (UMS S20300), condition A
2. Finish: Passivate (AMS2700), Method 1, Class 4
3. All Drawing Dimensions are in Inches [mm]
4. Unless otherwise specified, Edge Breaks, Radii or Countersinks 0.005-0.015
5. All features in accordance with NAS1831

COMPONENT FEMALE FEMALE STANDOFF



**MW Industries**  
 95 Silvermine Rd., Seymour CT 06483  
 Tel: 203-888-2133, Fax: 203-888-9860

This Drawing is the Property of MW Industries. It contains confidential, proprietary information that is MW Industries property. Do not disclose to or duplicate for others except as authorized by MW Industries.

TOLERANCES  
 ALL DIMENSIONS ARE INCHES  
 (UNLESS OTHERWISE SPECIFIED)  
METALLIC  
 LENGTHS < / = 6 INCHES ± 0.005  
 LENGTH > 6 INCHES ± 0.010  
 DIAMETERS: ± 0.005  
NON-METALLIC  
 LENGTH: ± 0.010 DIAMETERS: ± 0.010  
INTERNAL THREADS:  
 MINIMUM THREAD DEPTH

NAS1831C4C44	
1/4 Female Female Standoff	

SCALE	REV
2.81	04
SHEET	
1 of 1	