

Product data sheet

Specifications



remote graphic terminal, Altivar, 240 x 160 pixels, IP54

VW3A1101

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Altivar
Range Compatibility	Altivar 312 Altivar 61 Altivar Lift Altivar 32 Altivar Machine ATV320 Altivar 312 Solar Altivar 212 Altivar 71 Altivar 61Q Altivar 71Q
Product or Component Type	Graphic terminal
Accessory / separate part category	Display and signalling accessories
Accessory / Separate Part Type	Display terminal
Accessory / separate part destination	Variable speed drive
Product Specific Application	To control, adjust and configure the drive To save and download configurations To display the current values
IP Degree of Protection	IP54

Complementary

Mounting Location	On the door of an enclosure
User Language	Italian English French Spanish German Chinese
Messages display capacity	8 lines
Pixel resolution	240 x 160
Net Weight	0.320 lb(US) (0.145 kg)

Environment

Ambient Air Temperature for Operation	5...122 °F (-15...50 °C)
--	--------------------------

Ordering and shipping details

Category	US1CP4C22135
Discount Schedule	CP4C
GTIN	3389118069305

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.77 in (4.500 cm)
Package 1 Width	4.72 in (12.000 cm)
Package 1 Length	4.92 in (12.500 cm)
Package 1 Weight	6.420 oz (182.000 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	64
Package 2 Height	12.40 in (31.500 cm)
Package 2 Width	21.46 in (54.500 cm)
Package 2 Length	21.46 in (54.500 cm)
Package 2 Weight	30.424 lb(US) (13.800 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	256
Package 3 Height	29.53 in (75.000 cm)
Package 3 Width	31.50 in (80.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	152.119 lb(US) (69.000 kg)

Contractual warranty

Warranty	18 months
----------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) **102**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Pro-active compliance (Product out of EU RoHS legal scope)**

SCIP Number **01e9b285-2a40-4b11-86d9-657f2d05de07**

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**

Image of product / Alternate images

Alternative

