



Splices

T&B Catalog Number:

22L001

UPC Number:

78621089246

Status:

Active

Description:

Insulation Piercing Magnet Wire Splice, Length .32 Inches, Width .16 Inches, Height .16 Inches, Wire Range #26 AWG - #17 AWG 808 Circular Mil Area - 5,162 Circular Mil Area, Copper Alloy, Tin Plated

Features

Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.

Application

For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.

General

Material	Copper
Finish	Tin Plated

Dimension Information

E* (inches)	.10
A (inches)	.32
D (inches)	.16

Specifications

Circular Mil Area	808 - 5,162
Rectangular Wire Range Thickness (inches)	.02 - .04
Rectangular Wire Range Width (inches)	.02 - .10
Round Wire Range AWG	26 - 17**

Tooling

Manual Tooling	ERG4801
Battery Powered Tooling	BAT226
Pneumatic Tooling	BAIR226, PAIR226
Battery/Pneumatic Tooling Die	DIE1801
Connector & Tooling Chart	Available on Website

Packaging

T&B Order Multiple	1000
T&B Inner Pack	1000
Package in Units	5000
T&B Sold in UOM	Each
T&B Weight Per UOM	0.63 lbs. per 1000

Application Support

Product Selector	DT_prod_selector_splices
Overview	Available on Website

Notes

*Note Reference dimension (crimped height). See installing die illustration for gauging.

**Note Not recommended for aluminum magnet wire finer than 21 gauge or 0.4 mm². (a) Four wires max.

(b) Six wires max. (c) Six wires max. each barrel
(d) Conductors heavier than 6 AWG or 13 mm² require special dies. Contact Thomas & Betts for assistance. (e) Crimping dies may not bottom. Connector height will depend on number and size of wires in barrel. Pump must deliver 9800 psi minimum.

Wire sizes and combinations shown have been tested to and meet or exceed Thomas & Betts specifications. Connectors may be suitable for other wire sizes or combinations. Thomas & Betts sells these connectors with the understanding that the user will perform necessary tests to determine their suitability for the intended purpose.

Certifications

RoHS Compliance	Yes
-----------------	-----

For further technical assistance, please contact us...

Thomas & Betts - USA
8155 T&B Blvd.
Memphis, TN 38125
www.tnb.com

T&B Technical Support
MS 3B-50
8155 T&B Blvd.
Memphis, TN 38125

Hours: 7AM - 6PM CDT
Monday-Friday
Phone: (888) 862-3289
Fax: (901) 252-1321
Email:techsupport@tnb.com