

ES APG 80 HEX 240**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

General ordering data

Version	Hexagonal crimp
Order No.	1502740000
Type	ES APG 80 HEX 240
GTIN (EAN)	4050118310481
Qty.	1 pc(s).

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	285.8 g
------------	---------

Crimp inserts

Crimp cross-section aluminium	185	Crimp cross-section copper	240
Crimping width	5 mm	Crimping width in mm	5
Identification number	28		

Description of contact

Conductor cross-section, max. AWG	450
-----------------------------------	-----

tool data crimping

Cable lug cross section	nominal	240 mm ²
Crimping type/profile	Hexagonal crimp	

Classifications

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ECLASS 9.0	21-04-90-90	ECLASS 9.1	21-01-90-90
ECLASS 10.0	21-04-90-90	ECLASS 11.0	21-04-90-90
ECLASS 12.0	21-04-90-90	ECLASS 13.0	21049090

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Downloads


Catalogues	Catalogues in PDF-format
Brochures	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-10	Version	
Order No.	1497130000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118306491		
Qty.	50 pc(s).		

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VPN/-240	Version	
Order No.	1498730000		cable lug, terminal end, 240 mm ² , 240 mm ²
GTIN (EAN)	4050118308044		
Qty.	15 pc(s).		

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M20/-120	Version	
Order No.	1498280000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307702		
Qty.	50 pc(s).		
Type	KP-M12/-120	Version	
Order No.	1498250000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307627		
Qty.	50 pc(s).		
Type	KP-M8/-120	Version	
Order No.	1498480000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307900		
Qty.	50 pc(s).		
Type	KP-M10/-120	Version	
Order No.	1498240000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307368		
Qty.	50 pc(s).		
Type	KP-M16/-120	Version	
Order No.	1498270000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307580		
Qty.	50 pc(s).		
Type	KP-M14/-120	Version	
Order No.	1498490000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307771		
Qty.	50 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

185 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-185	Version	
Order No.	1498720000		cable lug, terminal end, 185 mm ² , 185 mm ²
GTIN (EAN)	4050118308051		
Qty.	25 pc(s).		

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M16/-120 45	Version	
Order No.	1496420000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118306118		
Qty.	25 pc(s).		
Type	KWN-M8/-120 45	Version	
Order No.	1496390000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305999		
Qty.	25 pc(s).		
Type	KWN-M10/-120 45	Version	
Order No.	1496400000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118306224		
Qty.	25 pc(s).		
Type	KWN-M12/-120 45	Version	
Order No.	1496410000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118306057		
Qty.	25 pc(s).		

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M14/-240	Version
Order No.	1498530000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307689	
Qty.	20 pc(s).	
Type	KP-M10/-240	Version
Order No.	1498390000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307818	
Qty.	20 pc(s).	
Type	KP-M20/-240	Version
Order No.	1498430000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307832	
Qty.	20 pc(s).	
Type	KP-M12/-240	Version
Order No.	1498410000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307672	
Qty.	20 pc(s).	
Type	KP-M16/-240	Version
Order No.	1498420000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118307825	
Qty.	20 pc(s).	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Tools




Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm²
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

General ordering data

Type	APG 80	Version
Order No.	1502390000	6mm ² , 400mm ²
GTIN (EAN)	4050118310627	
Qty.	1 pc(s).	

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M6/-10	Version
Order No.	1497880000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307283	
Qty.	100 pc(s).	
Type	KP-M8/-10	Version
Order No.	1497890000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307573	
Qty.	100 pc(s).	
Type	KP-M10/-10	Version
Order No.	1497910000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307276	
Qty.	100 pc(s).	
Type	KP-M5/-10	Version
Order No.	1497870000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307252	
Qty.	100 pc(s).	


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-120	Version	
Order No.	1498690000	Version	cable lug, terminal end, 120 mm ² , 120 mm ²
GTIN (EAN)	4050118307795		
Qty.	25 pc(s).		

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M20/-240 90	Version	
Order No.	1494630000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304138		
Qty.	25 pc(s).		
Type	KWN-M16/-240 90	Version	
Order No.	1494620000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304237		
Qty.	25 pc(s).		
Type	KWN-M10/-240 90	Version	
Order No.	1494590000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304145		
Qty.	25 pc(s).		
Type	KWN-M12/-240 90	Version	
Order No.	1494610000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304244		
Qty.	25 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M12/-120 90	Version
Order No.	1497760000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307184	
Qty.	25 pc(s).	
Type	KWPN-M20/-120 90	Version
Order No.	1497780000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307191	
Qty.	25 pc(s).	
Type	KWPN-M10/-120 90	Version
Order No.	1497750000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307061	
Qty.	25 pc(s).	
Type	KWPN-M16/120 90	Version
Order No.	1497770000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118307030	
Qty.	25 pc(s).	

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M10/-10	Version
Order No.	1496940000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306521	
Qty.	100 pc(s).	

ES APG 80 HEX 240


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KRN-M5/-10	Version
Order No.	1496910000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306378	
Qty.	100 pc(s).	
Type	KRN-M8/-10	Version
Order No.	1496930000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306552	
Qty.	100 pc(s).	
Type	KRN-M12/-10	Version
Order No.	1496950000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306453	
Qty.	100 pc(s).	
Type	KRN-M6/-10	Version
Order No.	1496920000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306439	
Qty.	100 pc(s).	
Type	KRN-M4/-10	Version
Order No.	1496900000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306293	
Qty.	100 pc(s).	

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-10 90	Version
Order No.	1497420000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118307023	
Qty.	100 pc(s).	
Type	KWPN-M8/-10 90	Version
Order No.	1497430000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306927	
Qty.	100 pc(s).	


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-10	Version	
Order No.	1498620000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118308136		
Qty.	100 pc(s).		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VSTN/10	Version	
Order No.	1493030000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302776		
Qty.	100 pc(s).		

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-120 S	Version
Order No.	1494410000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304060	
Qty.	10 pc(s).	
Type	KRN-M8/-120 S	Version
Order No.	1494420000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304077	
Qty.	10 pc(s).	
Type	KRN-M10/-120 S	Version
Order No.	1494920000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304626	
Qty.	10 pc(s).	
Type	KRN-M12/-120 S	Version
Order No.	1494930000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304602	
Qty.	10 pc(s).	

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M16/-240	Version
Order No.	1495510000	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304770	
Qty.	25 pc(s).	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-240	Version
Order No.	1495490000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118305050	
Qty.	25 pc(s).	
Type	KRN-M12/-240	Version
Order No.	1495500000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118305142	
Qty.	25 pc(s).	
Type	KRN-M14/-240	Version
Order No.	1497270000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306842	
Qty.	25 pc(s).	
Type	KRN-M8/-240	Version
Order No.	1495480000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118304756	
Qty.	25 pc(s).	
Type	KRN-M20/-240	Version
Order No.	1495520000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118305104	
Qty.	25 pc(s).	

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KWPN-M12/-240 90	Version
Order No.	1496730000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306279	
Qty.	20 pc(s).	
Type	KWPN-M16/-240 90	Version
Order No.	1496740000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306507	
Qty.	20 pc(s).	
Type	KWPN-M20/-240 90	Version
Order No.	1496750000	cable lug, terminal end,240 mm ²
GTIN (EAN)	4050118306095	
Qty.	20 pc(s).	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

185 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M10/-185	Version
Order No.	1493420000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303322	
Qty.	25 pc(s).	
Type	KQN-M16/-185	Version
Order No.	1493440000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303414	
Qty.	25 pc(s).	
Type	KQN-M20/-185	Version
Order No.	1493450000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303544	
Qty.	25 pc(s).	
Type	KQN-M12/-185	Version
Order No.	1493430000	cable lug, terminal end, 185 mm ²
GTIN (EAN)	4050118303308	
Qty.	25 pc(s).	

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VPLN/-10	Version
Order No.	1492890000	cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302561	
Qty.	100 pc(s).	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

150 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M10/-150	Version
Order No.	1495710000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118305159	
Qty.	25 pc(s).	
Type	KRN-M12/-150	Version
Order No.	1495720000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118305296	
Qty.	25 pc(s).	
Type	KRN-M8/-150	Version
Order No.	1495700000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118305333	
Qty.	25 pc(s).	
Type	KRN-M14/-150	Version
Order No.	1495810000	cable lug, terminal end, 150 mm ²
GTIN (EAN)	4050118305500	
Qty.	25 pc(s).	

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-120 90	Version
Order No.	1494470000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304091	
Qty.	25 pc(s).	

ES APG 80 HEX 240


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KWN-M8/-120 90	Version
Order No.	1494680000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304343	
Qty.	25 pc(s).	
Type	KWN-M10/-120 90	Version
Order No.	1494450000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304084	
Qty.	25 pc(s).	
Type	KWN-M16/-120 90	Version
Order No.	1494480000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118304312	
Qty.	25 pc(s).	

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	KWN-M6/-10 90	Version
Order No.	1497030000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306484	
Qty.	100 pc(s).	
Type	KWN-M5/-10 90	Version
Order No.	1497020000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306712	
Qty.	100 pc(s).	
Type	KWN-M10/-10 90	Version
Order No.	1497050000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306750	
Qty.	100 pc(s).	
Type	KWN-M12/-10 90	Version
Order No.	1497070000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306606	
Qty.	100 pc(s).	
Type	KWN-M8/-10 90	Version
Order No.	1497040000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306576	
Qty.	100 pc(s).	

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-120	Version	
Order No.	1495670000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305258		
Qty.	25 pc(s).		
Type	KRN-M8/-120	Version	
Order No.	1495790000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305401		
Qty.	25 pc(s).		
Type	KRN-M10/-120	Version	
Order No.	1495650000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305289		
Qty.	25 pc(s).		
Type	KRN-M20/-120	Version	
Order No.	1495690000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305524		
Qty.	25 pc(s).		
Type	KRN-M16/-120	Version	
Order No.	1495680000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305272		
Qty.	25 pc(s).		
Type	KRN-M14/-120	Version	
Order No.	1495800000		cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118305616		
Qty.	25 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/120	Version	
Order No.	1493110000	Version	cable lug, terminal end, 120 mm ² , 120 mm ²
GTIN (EAN)	4050118302813		
Qty.	50 pc(s).		

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M20/-240 45	Version	
Order No.	1495420000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118305234		
Qty.	15 pc(s).		
Type	KWN-M16/-240 45	Version	
Order No.	1495410000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118305203		
Qty.	15 pc(s).		
Type	KWN-M12/-240 45	Version	
Order No.	1495400000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118305227		
Qty.	15 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-120	Version	
Order No.	1492960000		cable lug, terminal end, 120 mm ² , 120 mm ²
GTIN (EAN)	4050118302936		
Qty.	50 pc(s).		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-10 45	Version	
Order No.	1496810000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306309		
Qty.	100 pc(s).		
Type	KWN-M10/-10 45	Version	
Order No.	1496840000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306361		
Qty.	100 pc(s).		
Type	KWN-M8/-10 45	Version	
Order No.	1496830000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306330		
Qty.	100 pc(s).		
Type	KWN-M6/-10 45	Version	
Order No.	1496820000		cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118306286		
Qty.	100 pc(s).		

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M16/-240	Version	
Order No.	1493480000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118303209		
Qty.	25 pc(s).		
Type	KQN-M10/-240	Version	
Order No.	1493460000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118303230		
Qty.	25 pc(s).		
Type	KQN-M12/-240	Version	
Order No.	1493470000	Version	cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118303551		
Qty.	25 pc(s).		

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M20/-120	Version	
Order No.	1493360000	Version	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303063		
Qty.	25 pc(s).		
Type	KQN-M8/-120	Version	
Order No.	1493320000	Version	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303186		
Qty.	25 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KQN-M10/-120	Version
Order No.	1493330000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303070	
Qty.	25 pc(s).	
Type	KQN-M16/-120	Version
Order No.	1493350000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118303100	
Qty.	25 pc(s).	
Type	KQN-M12/-120	Version
Order No.	1493340000	cable lug, terminal end, 120 mm ²
GTIN (EAN)	4050118302998	
Qty.	25 pc(s).	

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M8/-10	Version
Order No.	1494040000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303803	
Qty.	100 pc(s).	
Type	KQN-M12/-10	Version
Order No.	1494060000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118304008	
Qty.	100 pc(s).	
Type	KQN-M6/-10	Version
Order No.	1494030000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303483	
Qty.	100 pc(s).	
Type	KQN-M4/-10	Version
Order No.	1494010000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303810	
Qty.	100 pc(s).	
Type	KQN-M5/-10	Version
Order No.	1494020000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303681	
Qty.	100 pc(s).	
Type	KQN-M10/-10	Version
Order No.	1494050000	cable lug, terminal end, 10 mm ²
GTIN (EAN)	4050118303711	
Qty.	100 pc(s).	


Creation date December 4, 2023 3:29:30 PM CET

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQNG-M5/-10	Version	
Order No.	1492680000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302479		
Qty.	100 pc(s).		
Type	KQNG-M6/-10	Version	
Order No.	1492690000		cable lug, terminal end, 10 mm ² , 10 mm ²
GTIN (EAN)	4050118302394		
Qty.	100 pc(s).		

240 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-240 S	Version	
Order No.	1494350000		cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118303933		
Qty.	5 pc(s).		
Type	KRN-M10/-240 S	Version	
Order No.	1494340000		cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304039		
Qty.	5 pc(s).		
Type	KRN-M16/-240 S	Version	
Order No.	1494370000		cable lug, terminal end, 240 mm ²
GTIN (EAN)	4050118304046		
Qty.	5 pc(s).		

ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-240	Version	
Order No.	1497400000		cable lug, terminal end,240 mm ² ,240 mm ²
GTIN (EAN)	4050118306965		
Qty.	25 pc(s).		

10 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-10	Version	
Order No.	1492780000		cable lug, terminal end,10 mm ² ,10 mm ²
GTIN (EAN)	4050118302806		
Qty.	100 pc(s).		


ES APG 80 HEX 240

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-120	Version	
Order No.	1494780000		cable lug, terminal end, 120 mm ² , 120 mm ²
GTIN (EAN)	4050118304282		
Qty.	25 pc(s).		